
Product Change Notification(PCN)

Issue Date: 01.10.2013
Modification / Revision Date: 01.10.2013

Extruded heatsink with solder pins (2010 catalogue page 459)

Change Notification # : PCN 20130110-V5229x

Description of changes:
1. CHANGE OF PRODUCTION PLANT
2. Draw.-No. ASS 0871 HSrev03 substitutes ASS 0871 HSrev02

Date of change and Implementation: Change: Week 40/2013 [Datecode of production]
Implementation: Week 40/2013

Key Characteristics of Change: Change of production plant

Products Affected: V5229W
V5229X
V5229Y

Reason for Change: Change of production plant

Response : No response to this notification is required.

ASSMANN WSW components GmbH
Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-0
Fax: +49-2351 - 554-99225

Product Change Notification(PCN)

Issue date: 01.10.2013
Modification / Revision date: 01.10.2013

Reference Documents / Attachments:

Document: Drawing


ASSMANN WSW P/N	Drawing Number
V5229W	ASS 0871 HSrev03
V5229X	ASS 0871 HSrev03
V5229Y	ASS 0871 HSrev03

As attached

PCN Revision History:

Date of Revision: 01.10.2013

Revision Number: 00

	1	2	3	4	5	6	7																																																																																																																																																										
A	 <p>REMARK A 2:1</p>																																																																																																																																																																
B																																																																																																																																																																	
C																																																																																																																																																																	
D																																																																																																																																																																	
E								<p>Notes</p> <p>Material : AL6063-T5</p> <p>Finished : Black Anodized</p> <p>UNSPECIFIED R=0.3MM</p>																																																																																																																																																									
F								<table border="1"> <thead> <tr> <th>Option</th> <th>L</th> <th>Thermal resistance(K/W)</th> </tr> </thead> <tbody> <tr> <td>V5229W</td> <td>25</td> <td>12.5</td> </tr> <tr> <td>V5229X</td> <td>37.5</td> <td>10</td> </tr> <tr> <td>V5229Y</td> <td>50</td> <td>8.5</td> </tr> </tbody> </table>	Option	L	Thermal resistance(K/W)	V5229W	25	12.5	V5229X	37.5	10	V5229Y	50	8.5																																																																																																																																													
Option	L	Thermal resistance(K/W)																																																																																																																																																															
V5229W	25	12.5																																																																																																																																																															
V5229X	37.5	10																																																																																																																																																															
V5229Y	50	8.5																																																																																																																																																															
G	<p>RoHS compliant Unit: mm</p> <table border="1"> <thead> <tr> <th>Scale</th> <th>Free TOLERANCE</th> <th>UNIT</th> <th>DIM</th> <th>X°</th> <th>X.X°</th> <th>Angle</th> <th>TOL</th> <th>Free TOLERANCE</th> <th>UNIT</th> <th>DIM</th> <th>X°</th> <th>X.X°</th> <th>Angle</th> <th>TOL</th> <th>Id.</th> <th>Modification</th> <th>Date</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>X.</td> <td>±X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X.</td> <td>±X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.X</td> <td>±X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>X.X</td> <td>±X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>±0.2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>±0.2</td> <td>③</td> <td>Change production plant</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>07.06.2013</td> <td>Amy</td> </tr> <tr> <td></td> <td>Tol</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Tol</td> <td>②</td> <td>Modify drawing layout</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10.03.2010</td> <td>Alex</td> </tr> <tr> <td></td> <td>±X°</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>±X°</td> <td>①</td> <td>Drawn</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>11.08.2009</td> <td>Dean</td> </tr> <tr> <td></td> <td>±X°</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>±X°</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Scale	Free TOLERANCE	UNIT	DIM	X°	X.X°	Angle	TOL	Free TOLERANCE	UNIT	DIM	X°	X.X°	Angle	TOL	Id.	Modification	Date	Name	X.	±X							X.	±X											X.X	±X							X.X	±X												±0.2								±0.2	③	Change production plant						07.06.2013	Amy		Tol								Tol	②	Modify drawing layout						10.03.2010	Alex		±X°								±X°	①	Drawn						11.08.2009	Dean		±X°								±X°											TOL							TOL										
Scale								Free TOLERANCE	UNIT	DIM	X°	X.X°	Angle	TOL	Free TOLERANCE	UNIT	DIM	X°	X.X°	Angle	TOL	Id.	Modification	Date	Name																																																																																																																																								
X.	±X							X.	±X																																																																																																																																																								
X.X	±X							X.X	±X																																																																																																																																																								
	±0.2								±0.2	③	Change production plant						07.06.2013	Amy																																																																																																																																															
	Tol								Tol	②	Modify drawing layout						10.03.2010	Alex																																																																																																																																															
	±X°								±X°	①	Drawn						11.08.2009	Dean																																																																																																																																															
	±X°								±X°																																																																																																																																																								
	TOL							TOL																																																																																																																																																									
H	<p>Customer-No.</p> <p>ASSMANN WSW-No.</p> <p>ASSMANN WSW/ components</p>							<p>Drawing-No.</p> <p>ASS 0871 HS</p> <p>Replace</p>	<p>rev03</p> <p>Sheet</p>																																																																																																																																																								
								1	2	3	4	5	6	7																																																																																																																																																			