
Product Change Notification(PCN)

Issue Date: 16.10.2015
Modification / Revision Date: 16.10.2015

IDC-Header (catalogue page 67)

Change Notification # : PCN 20151016-AWHC xx-0111-T

Description of changes:
1. New packaging
2. Draw.-No ASS_2313_COrev06 substitutes ASS_2313_COrev05

Date of change and Implementation: Change: Week 42 / 2015 [Datecode of production]
Implementation: 16.10.2015

Key Characteristics of Change: New tube packaging for components

Products Affected:
AWHC 10-0111-T
AWHC 14-0111-T
AWHC 16-0111-T
AWHC 20-0111-T
AWHC 26-0111-T
AWHC 34-0111-T
AWHC 40-0111-T
AWHC 50-0111-T
AWHC 60-0111-T
AWHC 64-0111-T

Reason for Change: Production changed tray packaging
to improved tube packaging

Response : No response to this notification is required.

ASSMANN WSW components GmbH
 Auf dem Schüffel 1
 D-58513 Lüdenscheid
 Tel.: +49-2351 - 554-0
 Fax: +49-2351 - 554-99225

Product Change Notification(PCN)

Issue date: 16.10.2015

Modification / Revision date: 16.10.2015

Reference Documents / Attachments:

Document: Drawing

ASSMANN WSW P/N	Drawing Number
AWHC xx-0111-T	ASS_2313_COrev06

As attached

PCN Revision History:

Date of Revision: 16.10.2015

Revision Number: 00

ASSMANN WSW components GmbH
Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-0
Fax: +49-2351 - 554-99225

Product Change Notification(PCN)

Issue date: #####

Modification / Revision date: #####



Component	Old version		New version	
	Packaging Unit tray	Carton Box Unit	Packaging Unit tube	Carton Box Unit
AWHC 10-0111-T	120	2400	24	2880
AWHC 14-0111-T	90	1980	20	2400
AWHC 16-0111-T	90	1800	18	2160
AWHC 20-0111-T	70	1400	16	1920
AWHC 26-0111-T	60	1200	13	1560
AWHC 34-0111-T	50	1000	10	1200
AWHC 40-0111-T	40	800	9	1080
AWHC 50-0111-T	30	600	7	840
AWHC 60-0111-T	30	600	6	720
AWHC 64-0111-T	30	600	6	720

As attached

PCN Revision History:

Date of Revision: 16.10.2015

Revision Number: 00

1	2	3	4	5	6	7	A																																																																						
							B																																																																						
<p>NOTES:</p> <p>MATERIAL</p> <ol style="list-style-type: none"> 1. Insulator Material: PBT+30%G.F (UL94V-0), Gray 2. Contact Material : Brass 3. Contact Plating : Au or Sn Over Ni <p>ELECTRICAL</p> <ol style="list-style-type: none"> 1. Current Rating : 3,0AMP 2. Withstand Voltage : 500V AC/DC 3. Contact Resistance : 20mΩ max 4. Insulation Resistance: 1000MΩ min <p>ENVIRONMENTAL</p> <ol style="list-style-type: none"> 1. Operation Temperature: -40°C to +105°C 2. Packing : Tube 3. 08~16 Pin without "A" <p>Ordering Information</p> <p>xx: No. of Contacts (08, 10, 14, 16, 20, 24, 26, 30, 34, 40, 50, 60, 64)</p> <p>Wire Spec: AWG28</p>							C																																																																						
<p>RoHS compliant</p> <p>Unit: mm</p>  <p>File No.: E198287</p>							D																																																																						
<table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> <th>⑥</th> <th>Change the packing tray into tube</th> <th>21.09.2015</th> <th>Wlfnle</th> <th></th> <th>Date</th> <th>Name</th> <th>Customer-No.</th> </tr> </thead> <tbody> <tr> <td colspan="2">TOLERANCE</td> <td>⑤</td> <td>Add wire spec</td> <td>14.02.2014</td> <td>Amy</td> <td>Drawn</td> <td>25.01.2006</td> <td>Alex</td> <td></td> </tr> <tr> <td>X.X</td> <td>±0,40</td> <td>④</td> <td>Add UL file no.</td> <td>12.12.2013</td> <td>Amy</td> <td>Approved</td> <td>21.09.2015</td> <td>Wlfnle</td> <td>ASSMANN WSW-No.</td> </tr> <tr> <td>X.XX</td> <td>±0,25</td> <td>③</td> <td>Update</td> <td>08.09.2011</td> <td>Lucas</td> <td></td> <td></td> <td></td> <td>AWHC xx-0111-T</td> </tr> <tr> <td>X.XXX</td> <td>±0,15</td> <td>②</td> <td>Update</td> <td>29.06.2009</td> <td>Dean</td> <td></td> <td></td> <td></td> <td>Drawing-No.</td> </tr> <tr> <td>Angle</td> <td>±3°</td> <td>①</td> <td>Drawn</td> <td>25.01.2006</td> <td>Alex</td> <td></td> <td></td> <td></td> <td>ASS 2313 CO</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Id.</td> <td></td> <td></td> <td>Modification</td> <td></td> <td></td> <td>Replace</td> </tr> </tbody> </table>							Scale	Free	⑥	Change the packing tray into tube	21.09.2015	Wlfnle		Date	Name	Customer-No.	TOLERANCE		⑤	Add wire spec	14.02.2014	Amy	Drawn	25.01.2006	Alex		X.X	±0,40	④	Add UL file no.	12.12.2013	Amy	Approved	21.09.2015	Wlfnle	ASSMANN WSW-No.	X.XX	±0,25	③	Update	08.09.2011	Lucas				AWHC xx-0111-T	X.XXX	±0,15	②	Update	29.06.2009	Dean				Drawing-No.	Angle	±3°	①	Drawn	25.01.2006	Alex				ASS 2313 CO				Id.			Modification			Replace	E
Scale	Free	⑥	Change the packing tray into tube	21.09.2015	Wlfnle		Date	Name	Customer-No.																																																																				
TOLERANCE		⑤	Add wire spec	14.02.2014	Amy	Drawn	25.01.2006	Alex																																																																					
X.X	±0,40	④	Add UL file no.	12.12.2013	Amy	Approved	21.09.2015	Wlfnle	ASSMANN WSW-No.																																																																				
X.XX	±0,25	③	Update	08.09.2011	Lucas				AWHC xx-0111-T																																																																				
X.XXX	±0,15	②	Update	29.06.2009	Dean				Drawing-No.																																																																				
Angle	±3°	①	Drawn	25.01.2006	Alex				ASS 2313 CO																																																																				
			Id.			Modification			Replace																																																																				
<p>④</p> <p>③</p> <p>②</p> <p>①</p>							F																																																																						
<p>1</p> <p>2</p> <p>3</p> <p>4</p> <p>5</p> <p>6</p> <p>7</p>							G																																																																						
<p>ASSMANN</p> <p>WSW/ components</p> <p>ASS 2313 CO</p> <p>rev06</p> <p>Sheet 1/1</p> <p>SV2494</p>							H																																																																						