

Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-0
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

Product Change Notification(PCN)

Issue Date: 31.08.2018
Modification / Revision Date: 31.08.2018

V2032B

CPU heatsink, forged, AL1070, 25x25x18.5mm, BK anodized, pin fin

Change Notification: PCN 20180817-V2032B

Description of changes:
1. Change of tolerance
2. Draw.-No.ASS_0815_HSrev04 substitutesASS_0815_HSrev03

Date of change and Implementation: Change: Week 35 / year 2018
Implementation: 31.08.2018

Key Characteristics of Change: Material & Dimensions, see page 3

Products Affected: V2032B

Reason for Change: Change of tolerance

Response : No response to this notification is required.

PCN Revision History:

Date of Revision: 31.08.2018



Revision Number: 00

page 1/

Auf dem Schüffel 1
 D-58513 Lüdenscheid
 Tel.: +49-2351 - 554-0
 Fax +49 (2351) 554-861
 info@assmann-wsw.com
 www.assmann-wsw.com

Product Change Notification(PCN)

Issue Date: 31.08.2018
 Modification / Revision Date: 31.08.2018

| V2032B | Old version | V2032B | New version | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--------|--|-----------|--|-----|-------|------|-------|-------|-------|-----|-----|----|-------|------|-----|-------|-----|--|--|-------|------|-----------|--|------|------|--|--|-----|-----|--|--|-------|-----|
| |  <p>Flatness is: 0.15mm ^③</p> | |  <p>18.5</p> <p>2±0.2</p> <p>^③ NOTES: 1.MATERIAL: AL1070. 2.REMOVE ALL SHARP EDGES AND BURR.</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <p>^②</p> <table border="1"> <thead> <tr> <th>Scale</th> <th>1:1</th> </tr> </thead> <tbody> <tr> <td colspan="2">TOLERANCE</td> </tr> <tr> <td>X.X</td> <td>±0.50</td> </tr> <tr> <td>X.XX</td> <td>±0.30</td> </tr> <tr> <td>X.XXX</td> <td>±0.15</td> </tr> <tr> <td>DIM</td> <td>TOL</td> </tr> <tr> <td>X°</td> <td>±1.0°</td> </tr> <tr> <td>X.X°</td> <td>±x°</td> </tr> <tr> <td>Angle</td> <td>TOL</td> </tr> </tbody> </table> | Scale | 1:1 | TOLERANCE | | X.X | ±0.50 | X.XX | ±0.30 | X.XXX | ±0.15 | DIM | TOL | X° | ±1.0° | X.X° | ±x° | Angle | TOL | | <p>^②</p> <table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> </tr> </thead> <tbody> <tr> <td colspan="2">TOLERANCE</td> </tr> <tr> <td>Unit</td> <td>±0.5</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>DIM</td> <td>TOL</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td>TOL</td> </tr> </tbody> </table> <p>^④</p> | Scale | Free | TOLERANCE | | Unit | ±0.5 | | | DIM | TOL | | | Angle | TOL |
| Scale | 1:1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOLERANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X.X | ±0.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X.XX | ±0.30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X.XXX | ±0.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DIM | TOL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X° | ±1.0° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X.X° | ±x° | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Angle | TOL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Scale | Free | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOLERANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unit | ±0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DIM | TOL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Angle | TOL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| For detail, please take attached new drawing for reference: 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

PCN Revision History:

Date of Revision: 31.08.2018

Revision Number: 00

