

Auf dem Schüffel 1  
D-58513 Lüdenscheid  
Tel.: +49-2351 - 554-0  
Fax +49 (2351) 554-861  
info@assmann-wsw.com  
www.assmann-wsw.com

## Product Change Notification(PCN)

Issue Date: 02.04.2019  
Modification / Revision Date: 02.04.2019

### V5220XX

### 32x20mm Extruded heatsinks black anodized material AL6063

**Change Notification:** PCN 20190403 V5220XX

**Description of changes:** Change of production plant  
3. Change of tolerance  
4. Draw.-No. ASS\_4510\_HSrev01 substitutes ASS\_4510\_HSrev00  
5. Draw.-No. ASS\_0498\_HSrev05 substitutes ASS\_0498\_HSrev04

**Date of change and Implementation:** Change: Week 14 / year 2019  
Implementation: 02.04.2019

**Key Characteristics of Change:** Section & Dimension see page 3

**Products Affected:** V5220XX

**Reason for Change:** Change of production plant

**Response :** No response to this notification is required.

#### PCN Revision History:

Date of Revision: 02.04.2019

Revision Number: 00

page 1/4




## Product Change Notification(PCN)

Issue Date: 02.04.2019  
 Modification / Revision Date: 02.04.2019

V5220XX	Old version	V5220XX	New version																																				
Change of tolerance		Change of tolerance																																					
<table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> </tr> </thead> <tbody> <tr> <td colspan="2">TOLERANCE</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>UNIT</td> <td>±0.20</td> </tr> <tr> <td>DIM</td> <td>TOL</td> </tr> <tr> <td>X.°</td> <td>±X°</td> </tr> <tr> <td>X.X°</td> <td>±X°</td> </tr> <tr> <td>Angle</td> <td>TOL</td> </tr> </tbody> </table>		Scale	Free	TOLERANCE						UNIT	±0.20	DIM	TOL	X.°	±X°	X.X°	±X°	Angle	TOL	<table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> </tr> </thead> <tbody> <tr> <td colspan="2">TOLERANCE</td> </tr> <tr> <td>0-6</td> <td>±0.15</td> </tr> <tr> <td>6-30</td> <td>±0.20</td> </tr> <tr> <td>30-120</td> <td>±0.30</td> </tr> <tr> <td>120-400</td> <td>±0.50</td> </tr> <tr> <td>DIM</td> <td>TOL</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td>±1°</td> </tr> </tbody> </table>		Scale	Free	TOLERANCE		0-6	±0.15	6-30	±0.20	30-120	±0.30	120-400	±0.50	DIM	TOL			Angle	±1°
Scale	Free																																						
TOLERANCE																																							
UNIT	±0.20																																						
DIM	TOL																																						
X.°	±X°																																						
X.X°	±X°																																						
Angle	TOL																																						
Scale	Free																																						
TOLERANCE																																							
0-6	±0.15																																						
6-30	±0.20																																						
30-120	±0.30																																						
120-400	±0.50																																						
DIM	TOL																																						
Angle	±1°																																						
<p>For detail, please take attached new drawing for reference: ASS_4510_HSrev01            ASS_0498_HSrev05</p>																																							

**PCN Revision History:**



	1	2	3	4	5	6	7																																																																								
A									A																																																																						
B									B																																																																						
C	<p>④ Recommended PCB Layout</p>								C																																																																						
D									D																																																																						
E	<p>4 : 1 "A"</p>								E																																																																						
F	<p>Material: AL6063-T5 Finished: Black anodized</p> <table border="1"> <thead> <tr> <th>Option</th> <th>L</th> <th>Thermal resistance(K/W)</th> </tr> </thead> <tbody> <tr> <td>V5220W</td> <td>25</td> <td>10</td> </tr> <tr> <td>V5220X</td> <td>37.5</td> <td>8</td> </tr> <tr> <td>V5220Y</td> <td>50</td> <td>7</td> </tr> </tbody> </table>								Option	L	Thermal resistance(K/W)	V5220W	25	10	V5220X	37.5	8	V5220Y	50	7	F																																																										
Option	L	Thermal resistance(K/W)																																																																													
V5220W	25	10																																																																													
V5220X	37.5	8																																																																													
V5220Y	50	7																																																																													
G	<p>RoHS compliant Unit: mm</p> <table border="1"> <thead> <tr> <th>Scale</th> <th>Free</th> <th></th> <th></th> <th></th> <th>Date</th> <th>Name</th> <th>Customer-No.</th> </tr> </thead> <tbody> <tr> <td>⑤ TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>0-6</td> <td>±0.15</td> <td>⑤</td> <td>Update the tolerance</td> <td>04.04.2019</td> <td>Amy</td> <td>Drawn</td> <td>19.03.2002</td> <td>Hellwig</td> </tr> <tr> <td>6-30</td> <td>±0.20</td> <td>④</td> <td>Add PCB layout information</td> <td>24.02.2014</td> <td>Amy</td> <td>Approved</td> <td>04.04.2019</td> <td>Amy</td> </tr> <tr> <td>30-120</td> <td>±0.30</td> <td>③</td> <td>Modify drawing layout</td> <td>10.03.2010</td> <td>Alex</td> <td></td> <td></td> <td></td> </tr> <tr> <td>120-400</td> <td>±0.50</td> <td>②</td> <td>Update</td> <td>11.08.2009</td> <td>Dean</td> <td></td> <td></td> <td></td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td>①</td> <td>Drawn</td> <td>19.03.2002</td> <td>Hellwig</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td>±1°</td> <td>Id.</td> <td>Modification</td> <td>Date</td> <td>Name</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								Scale	Free				Date	Name	Customer-No.	⑤ TOLERANCE								0-6	±0.15	⑤	Update the tolerance	04.04.2019	Amy	Drawn	19.03.2002	Hellwig	6-30	±0.20	④	Add PCB layout information	24.02.2014	Amy	Approved	04.04.2019	Amy	30-120	±0.30	③	Modify drawing layout	10.03.2010	Alex				120-400	±0.50	②	Update	11.08.2009	Dean				DIM	TOL	①	Drawn	19.03.2002	Hellwig				Angle	±1°	Id.	Modification	Date	Name				G
Scale	Free				Date	Name	Customer-No.																																																																								
⑤ TOLERANCE																																																																															
0-6	±0.15	⑤	Update the tolerance	04.04.2019	Amy	Drawn	19.03.2002	Hellwig																																																																							
6-30	±0.20	④	Add PCB layout information	24.02.2014	Amy	Approved	04.04.2019	Amy																																																																							
30-120	±0.30	③	Modify drawing layout	10.03.2010	Alex																																																																										
120-400	±0.50	②	Update	11.08.2009	Dean																																																																										
DIM	TOL	①	Drawn	19.03.2002	Hellwig																																																																										
Angle	±1°	Id.	Modification	Date	Name																																																																										
H	<table border="1"> <thead> <tr> <th colspan="2">Drawing-No.</th> <th>Replace</th> <th>Sheet</th> </tr> </thead> <tbody> <tr> <td colspan="2">ASS 0498 HS</td> <td></td> <td>rev05</td> </tr> </tbody> </table>								Drawing-No.		Replace	Sheet	ASS 0498 HS			rev05	H																																																														
Drawing-No.		Replace	Sheet																																																																												
ASS 0498 HS			rev05																																																																												
	1	2	3	4	5	6	7																																																																								