



Auf dem Schüffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 5542-00
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 03.08.2023
MODIFICATION / REVISION DATE: 03.08.2023

A-USB31C-05F-xxx USB Type-C male to Audio Jack Cable

CHANGE NOTIFICATION:	PCN 20230803_A-USB31C-05F-xxx
DESCRIPTION OF CHANGES:	CHANGE OF DATA SHEET CHANGE OF DATA SHEET New Draw.-No. ASS_10356_CAreV03
REASON FOR CHANGE:	CHANGE OF PRODUCT DIMENSIONS, TOLERANCES AND/OR PROPERTIES CHANGE OF PRODUCT DIMENSIONS, TOLERANCES AND/OR PROPERTIES
KEY CHARACTERISTICS OF CHANGE:	Details see page 3
PRODUCTS AFFECTED:	A-USB31C-05F-015 & A-USB31C-05F-150
DATE OF CHANGE AND IMPLEMENTATION:	CHANGE: WEEK 31 / YEAR 2023 IMPLEMENTATION: 08.03.23
RESPONSE:	NO RESPONSE TO THIS NOTIFICATION IS REQUIRED

PCN REVISION HISTORY:

DATE OF REVISION: 03.08.2023

REVISION NUMBER: 00

page 1/



Auf dem Schöffel 1
D-58513 Lüdenscheid
Tel.: +49-2351 - 554-200
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)

ISSUE DATE: 03.08.2023
MODIFICATION / REVISION DATE: 03.08.2023

REFERENCE DOCUMENTS / ATTACHMENTS:
DOCUMENT: DRAWING



ASSMANN WSW P/N	Drawing Number		ASSMANN WSW P/N	Drawing Number
A-USB31C-05F-015 & A-USB31C-05F-150	ASS_10356_CArev02	↔	A-USB31C-05F-015 & A-USB31C-05F-150	ASS_10356_CArev03



Auf dem Schüffel 1
D-58513 Lödenscheid
Tel.: +49-2351 - 554-200
Fax +49 (2351) 554-861
info@assmann-wsw.com
www.assmann-wsw.com

PRODUCT CHANGE NOTIFICATION (PCN)


ISSUE DATE: 03.08.2023
MODIFICATION / REVISION DATE: 03.08.2023

A-USB31C-05F-xxx OLD VERSION	A-USB31C-05F-015 & A-USB31C-05F-150 NEW VERSION						
<p>Wiring:</p>  <p>REAR VIEW</p> <p>Cable:</p> <table border="1" data-bbox="172 1288 774 1332"> <tr> <td></td> <td>CABLE</td> <td>12/0.02BC*4C, OD:2.8MM, black PVC</td> </tr> </table>		CABLE	12/0.02BC*4C, OD:2.8MM, black PVC	<p>Wiring:</p>  <p>③ REAR VIEW</p> <p>Cable:</p> <table border="1" data-bbox="869 1288 1460 1332"> <tr> <td></td> <td>CABLE</td> <td>12/0.02BC*4C, OD:3.0MM, black TPE ③</td> </tr> </table>		CABLE	12/0.02BC*4C, OD:3.0MM, black TPE ③
	CABLE	12/0.02BC*4C, OD:2.8MM, black PVC					
	CABLE	12/0.02BC*4C, OD:3.0MM, black TPE ③					
<p>FOR DETAIL, PLEASE TAKE ATTACHED NEW DRAWING: FOR REFERENCE</p>							

PCN REVISION HISTORY:

DATE OF REVISION: 03.08.2023

REVISION NUMBER: 00



PN	L
A-USB31C-05F-015	150±10
A-USB31C-05F-150	1500±40

②

PIN ASSIGNMENT

P1		P2
1	Red	VCC
2	White	D-
3	Green	D+
4	Black	GND

NOTE:
 1. 100% open, short, miswire test.
 2. Conductive resistance: 3Ω Max
 3. Insulation resistance: 5MΩ Min/300VDC, 10ms

NO.	NAME	DESCRIPTION	QTY	UNIT
③	CONN	Type-C male, with audio conversion, with black shell	1	SET
②	CONN	DC5521, femal level four, with black shell	1	PCS
①	CABLE	12/0.02BC*4C, OD:3.0MM, black TPE ③	1	PCS

G	RoHS compliant Unit: mm	Scale	Free				Date	Name	Customer-No.		
		TOLERANCE						Drawn	13.04.2023	Daniel	
				③	Update cable and pin assignment	19.07.2023	Luca	Approved	19.07.2023	Luca	ASSMANN WSW-No. A-USB31C-05F-xxx
				②	Update tolerance	03.07.2023	Luca				Drawing-No. ASS 10356 CA rev03
H		DIM	TOL	①	Update P/N	24.04.2023	Daniel			Replace	Sheet 1/1
				④	Drawn	20.12.2022	Daniel				
		Angle	TOL	Id.	Modification	Date	Name				