ASSMANN WSW components, Inc.
1840 W. Drake Drive, Suite 101
Tempe, AZ 85283
Toll Free 1-480-897-7001
www.assmann-wsw.com

Product Change Notification (PCN)

Issue Date: 7/9/2018
Modification/Revision Date: 7/9/2018

DSUB Cable

Change Notification: **PCN-US-20180701 AK553F-2**

Description of changes

1. **Change of tooling**
2. **Change of specifications**
   a. **Change of wire color (see page 2)**
   b. **Change of over-molding design (see page 2)**
   c. **Drawing ASS_8320_CA (see page 3) replaces all previous drawings**

Date of change and Implementation: **7/9/2018**

Products Affected: **AK553F-2**

Reason for Change: **Change of tooling**

Response: **No response to this notification is required.**

ASSMANN WSW components, Inc.
1840 W. Drake Drive, Suite 101
Tempe, AZ 85283
Toll Free 1-480-897-7001
www.assmann-wsw.com

Product Change Notification (PCN)

Issue Date: 7/9/2018
Modification/Revision Date: 7/9/2018

Old Version



New Version



①: Change of white wire to gray wire.

②: Change of over-molding designs.



NOTE;
1.100%SHORT,OPEN,MISWIRE TEST
2.Contact resistance:2Ω Max
3.Insulation Resistance:10Ω Min
4.Hi-poT test:DC 300V/10Ms

①	14	Dust cap	HDPE	3	G
	13	Jump wire	JUMP WIRE:26-2*25*2-U1007	5	PCS
	12	Screw	SRW-Q39.6/BK10	2	PCS
	11	Over mold	PVC-BK10/50P<UL94V-0>	72.5	G
	10	Tube	TUBE-HT-Ø5.0MM	15*5	MM
	9	Tape	TAPE:W:12MM;L:40MM	1	PCS
	8	Core	CORE:17.5*28.5*10.5MM	1	PCS
	7	Tape	HI TEMP TAPE:W:24MM;L:70MM	1	PCS
	6	Foil	FOIL-CU-32MM	55*1	MM
	5	Inner mold	PE-5321	4.0	G
	4	Tube	TUBE-HT-Ø2.0MM	6*5	MM
	3	Conn.	BNC-PLUG-Ø9.5 75Ω, ID:3.0MM	5	SET
	2	Conn.	CDS-H15P(BU)	1	PCS
	1	Cable	UL2919-5COAX*28#+ADB-BK10-Ø9.0	2.03	M
	NO	TYPE	DESCRIPTION	QTY	UNIT

PIN ASSIGNMENT



RoHS compliant
Unit: mm

Scale	Free
TOLERANCE	
DIM	TOL
Angle	TOL

Id.	Modification	Date	Name
①	Add dust cap	16.07.2018	Xaiver
⓪	Drawn	06.07.2018	Xaiver

	Date	Name
Drawn	06.07.2018	Xavier
Approved	06.07.2018	Winnnie

ASSMANN WSW components

Customer-No.

ASSMANN WSW-No.
AK553F-2

Drawing-No.
ASS 8320 CA

rev01

Replace

Sheet
1/1

CAB0884